

## Author Index

- Abbaspour, A.  
— and Kamyabi, M.A.  
Characterization and determination of stability constants of copper(II)–L-histidine complexation system by using multivariate curve resolution method of visible spectra and two hard modeling methods in aqueous solutions 257
- Abe, Y., see Li, L. 121
- Aleixo, P.C.  
—, Júnior, D.S., Tomazelli, A.C., Rufini, I.A., Berndt, H. and Krug, F.J.  
Cadmium and lead determination in foods by beam injection flame furnace atomic absorption spectrometry after ultrasound-assisted sample preparation 329
- Alimonti, A., see Bocca, B. 19
- Arancibia, J.A.  
—, Rullo, A., Olivieri, A.C., Nezio, S.D., Pistonesi, M., Lista, A. and Band, B.S.F.  
Fast spectrophotometric determination of fluoride in ground waters by flow injection using partial least-squares calibration 157
- Band, B.S.F., see Arancibia, J.A. 157
- Baskali, N.  
—, Gaillard, F., Lanteri, P. and Roucoules, V.  
Compositional changes between free coatings and surface coating layers during mechanochemical process. An IR-based chemometric analysis 231
- Bastida, J., see Parejo, I. 271
- Berndt, H., see Aleixo, P.C. 329
- Berzas Nevado, J.J., see Rodríguez Flores, J. 287
- Bichinho, K.M.  
—, Pires, G.P., dos Santos, J.H.Z., de Camargo Forte, M.M. and Wolf, C.R.  
Determination of Mg, Ti and Cl in Ziegler-Natta catalysts by WDXRF 359
- Bocca, B.  
—, Alimonti, A., Cristaudo, A., Cristallini, E., Petrucci, F. and Caroli, S.  
Monitoring of the exposure to platinum-group elements for two Italian population groups through urine analysis 19
- Boopathi, M.  
—, Won, M.-S. and Shim, Y.-B.  
A sensor for acetaminophen in a blood medium using a Cu(II)-conducting polymer complex modified electrode 191
- Bulatov, V., see Hassoon, S. 125
- Cabello Díaz, M.P., see Rodríguez Flores, J. 287
- Caroli, S., see Bocca, B. 19
- Catalá Icardo, M., see Palomeque, M. 149
- Cavrini, V., see Gatti, R. 85
- Ceelen, L., see De Baere, S. 75
- Champ, M.M., see Moreau, N.M. 305
- Chen, G.-N., see Zhuang, H.-S. 347
- Chen, H.-Y., see Luo, K.-L. 57
- Choi, J.-W., see Kitamura, K. 27
- Choi, Y.H.  
—, Kim, H.K., Wilson, E.G., Erkelens, C., Trijzelaar, B. and Verpoorte, R.  
Quantitative analysis of retinol and retinol palmitate in vitamin tablets using <sup>1</sup>H-nuclear magnetic resonance spectroscopy 141
- Codina, C., see Parejo, I. 271
- Contento Salcedo, A.M., see Rodríguez Flores, J. 287
- Cristallini, E., see Bocca, B. 19
- Cristaudo, A., see Bocca, B. 19
- Croubels, S., see De Baere, S. 75
- De Backer, P., see De Baere, S. 75
- De Baere, S.  
—, Pille, F., Croubels, S., Ceelen, L. and De Backer, P.  
High-performance liquid chromatographic-UV detection analysis of ceftiofur and its active metabolite desfuroylceftiofur in horse plasma and synovial fluid after regional intravenous perfusion and systemic intravenous injection of ceftiofur sodium 75
- de Camargo Forte, M.M., see Bichinho, K.M. 359
- de la Guardia, M., see Ródenas-Torralba, E. 215
- Delépée, R., see Moreau, N.M. 305
- dos Santos, J.H.Z., see Bichinho, K.M. 359
- Du, Y.P., see Kasemsumran, S. 223
- Dumon, H.J., see Moreau, N.M. 305
- Eklöv, T., see Tomic, O. 199
- Erkelens, C., see Choi, Y.H. 141
- Fariña, J.B., see Oliva, A. 103
- Featherstone, A.M.  
—, Townsend, A.T., Jacobson, G.A. and Peterson, G.M.  
Comparison of methods for the determination of total selenium in plasma by magnetic sector inductively coupled plasma mass spectrometry 319
- Fragkaki, A.G.  
—, Koupparis, M.A. and Georgakopoulos, C.G.  
Quantitative structure–retention relationship study of  $\alpha$ -,  $\beta_1$ -, and  $\beta_2$ -agonists using multiple linear regression and partial least-squares procedures 165
- Freitag, R., see Szekely, L. 39
- Frenzel, W., see Miró, M. 311
- Gaillard, F., see Baskali, N. 231
- Galezowska, E., see Juskowiak, B. 133
- García Bautista, J.A., see Palomeque, M. 149
- García Mateo, J.V., see Palomeque, M. 149
- Garrigues, S., see Ródenas-Torralba, E. 215
- Gatti, R.  
—, Gioia, M.G. and Cavrini, V.  
Determination of *Cinchona* alkaloids and Vitamin B<sub>6</sub> by high-performance liquid chromatography with fluorescence detection 85
- Georgakopoulos, C.G., see Fragkaki, A.G. 165
- Ghasemi, J., see Khajehsharifi, H. 369
- Gioia, M.G., see Gatti, R. 85
- Grzybowska, I., see Juskowiak, B. 133
- Gu, J., see Zhang, W. 207
- Hashimoto, S., see Kitamura, K. 27
- Hassoon, S.  
—, Bulatov, V., Yasman, Y. and Schechter, I.  
Fluorescence monitoring of ultrasound degradation processes 125

- Haugen, J.-E., see Tomic, O. 199
- He, Y.-Z., see Jiang, H.-L. 111
- Hennion, M.-C., see Robillot, C. 339
- Hu, X., see Liu, Q. 93
- Hu, Y.-Y., see Jiang, H.-L. 111
- Huang, J.-H.  
— and Ilgen, G.  
Blank values, adsorption, pre-concentration, and sample preservation for arsenic speciation of environmental water samples 1
- Huang, J.-L., see Zhuang, H.-S. 347
- Huehne, M., see Kasemsumran, S. 223
- Ilgen, G., see Huang, J.-H. 1
- Imai, K., see Li, L. 121
- Ioele, G., see Ragno, G. 173
- Ito, H., see Kitamura, K. 27
- Jacobson, G.A., see Featherstone, A.M. 319
- Jakubowska, M.  
— and Kubiak, W.W.  
Adaptive-degree polynomial filter for voltammetric signals 241
- Jiang, H.-L.  
—, He, Y.-Z., Zhao, H.-Z. and Hu, Y.-Y.  
Determination of chlorogenic acid and rutin in cigarettes by an improved capillary electrophoresis indirect chemiluminescence system 111
- Jin, L., see Zhang, W. 207
- Júnior, D.S., see Aleixo, P.C. 329
- Juskowiak, B.  
—, Grzybowska, I., Galezowska, E. and Takenaka, S.  
Enhanced fluorescence of the  $\text{Eu}^{3+}$ -naphthalenediimide derivative-phenanthroline ternary complex and the determination of DNA 133
- Kamyabi, M.A., see Abbaspour, A. 257
- Kanagawa, K., see Li, L. 121
- Kasemsumran, S.  
—, Du, Y.P., Murayama, K., Huehne, M. and Ozaki, Y.  
Near-infrared spectroscopic determination of human serum albumin,  $\gamma$ -globulin, and glucose in a control serum solution with searching combination moving window partial least squares 223
- Khajehsharifi, H.  
—, Mousavi, M.F., Ghasemi, J. and Shamsipur, M.  
Kinetic spectrophotometric method for simultaneous determination of selenium and tellurium using partial least squares calibration 369
- Kim, H.K., see Choi, Y.H. 141
- Kitamura, K.  
—, Takazawa, Y., Hashimoto, S., Choi, J.-W., Ito, H. and Morita, M.  
Effective extraction method for dioxin analysis from lipid-rich biological matrices using a combination of pressurized liquid extraction and dimethyl sulfoxide/acetonitrile/hexane partitioning 27
- Komorsky-Lovrić, Š., see Pavlova, V. 49
- Korte, E.-H., see Valcárcel, M. 181
- Koupparis, M.A., see Fragkaki, A.G. 165
- Krug, F.J., see Aleixo, P.C. 329
- Kubiak, W.W., see Jakubowska, M. 241
- Kvaal, K., see Tomic, O. 199
- Lanteri, P., see Baskali, N. 231
- Le Bizec, B., see Moreau, N.M. 305
- Li, L.  
—, Abe, Y., Kanagawa, K., Usui, N., Imai, K., Mashino, T., Mochizuki, M. and Miyata, N.  
Distinguishing the 5,5-dimethyl-1-pyrroline *N*-oxide (DMPO)-OH radical quenching effect from the hydroxyl radical scavenging effect in the ESR spin-trapping method 121
- Liang, S.-C., see Wang, H. 281
- Lista, A., see Arancibia, J.A. 157
- Liu, Q.  
—, Hu, X. and Xie, J.  
Determination of nerve agent degradation products in environmental samples by liquid chromatography-time-of-flight mass spectrometry with electrospray ionization 93
- Liu, X.  
—, Ma, L. and Lu, Y.-T.  
Determination of phosphoamino acids by micellar electrokinetic capillary chromatography with laser-induced fluorescence detection 297
- Llabrés, M., see Oliva, A. 103
- Lu, Y.-T., see Liu, X. 297
- Luo, X.-L.  
—, Xu, J.-J., Zhao, W. and Chen, H.-Y.  
Ascorbic acid sensor based on ion-sensitive field-effect transistor modified with  $\text{MnO}_2$  nanoparticles 57
- Ma, L., see Liu, X. 297
- Maccà, C.  
Response time of ion-selective electrodes. Current usage versus IUPAC recommendations 183
- Martin, L.J., see Moreau, N.M. 305
- Martínez Calatayud, J., see Palomeque, M. 149
- Mary Gladis, J., see Metilda, P. 63
- Mashino, T., see Li, L. 121
- Maume, D., see Moreau, N.M. 305
- Metilda, P.  
—, Mary Gladis, J. and Prasada Rao, T.  
Influence of binary/ternary complex of imprint ion on the preconcentration of uranium(VI) using ion imprinted polymer materials 63
- Minakata, K.  
— and Suzuki, O.  
New molybdenum compound suitable for determination by electron paramagnetic resonance 355
- Mirčeski, V., see Pavlova, V. 49
- Miró, M.  
— and Frenzel, W.  
Investigation of chemical effects on the performance of flow-through dialysis applied to the determination of ionic species 311
- Mitreviski, B., see Pavlova, V. 49
- Miyata, N., see Li, L. 121
- Mochizuki, M., see Li, L. 121
- Morales-Rubio, Á., see Ródenas-Torralba, E. 215
- Moreau, N.M.  
—, Delépée, R., Maume, D., Le Bizec, B., Nguyen, P.G., Champ, M.M., Martin, L.J. and Dumon, H.J.  
Rapid measurement of  $^{13}\text{C}$ -enrichment of acetic, propionic and butyric acids in plasma with solid phase microextraction coupled to gas chromatography-mass spectrometry 305
- Morita, M., see Kitamura, K. 27
- Mousavi, M.F., see Khajehsharifi, H. 369
- Murayama, K., see Kasemsumran, S. 223
- Nezio, S.D., see Arancibia, J.A. 157
- Nguyen, P.G., see Moreau, N.M. 305
- Oliva, A.  
—, Fariña, J.B. and Llabrés, M.  
Measurement of uncertainty in peptide molecular weight determination using size-exclusion chromatography with multi-angle laser light-scattering detection and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry 103
- Olivieri, A.C., see Arancibia, J.A. 157
- Ozaki, Y., see Kasemsumran, S. 223
- Palomeque, M.  
—, García Bautista, J.A., Catalá Icardo, M., García Mateo, J.V. and Martínez Calatayud, J.

- Photochemical-chemiluminometric determination of aldicarb in a fully automated multicommutation based flow-assembly 149
- Parejo, I.  
—, Viladomat, F., Bastida, J. and Codina, C.  
Development and validation of a high-performance liquid chromatographic method for the analysis of antioxidative phenolic compounds in fennel using a narrow bore reversed phase C<sub>18</sub> column 271
- Pavlova, V.  
—, Mirčeski, V., Komorsky-Lovrić, Š., Petrovska-Jovanović, S. and Mitrevski, B.  
Studying electrode mechanism and analytical determination of cocaine and its metabolites at the mercury electrode using square-wave voltammetry 49
- Peterson, G.M., see Featherstone, A.M. 319
- Petrovska-Jovanović, S., see Pavlova, V. 49
- Petrucchi, F., see Bocca, B. 19
- Pille, F., see De Baere, S. 75
- Pires, G.P., see Bichinho, K.M. 359
- Pistonesi, M., see Arancibia, J.A. 157
- Prasada Rao, T., see Metilda, P. 63
- Ragno, G.  
—, Ioele, G. and Risoli, A.  
Multivariate calibration techniques applied to the spectrophotometric analysis of one-to-four component systems 173
- Risoli, A., see Ragno, G. 173
- Robillot, C.  
— and Hennion, M.-C.  
Issues arising when interpreting the results of the protein phosphatase 2A inhibition assay for the monitoring of microcystins 339
- Ródenas-Torralba, E.  
—, Ventura-Gayete, J., Morales-Rubio, Á., Garrigues, S. and de la Guardia, M.  
Multicommutation Fourier transform infrared determination of benzene in gasoline 215
- Rodríguez Flores, J.  
— Berzas Nevado, J.J., Contento Salcedo, A.M. and Cabello Díaz, M.P.  
Non-aqueous capillary zone electrophoresis method for the analysis of paroxetine, tamoxifen, and their main metabolites in urine 287
- Roucoules, V., see Baskali, N. 231
- Rufini, I.A., see Aleixo, P.C. 329
- Rullo, A., see Arancibia, J.A. 157
- Schechter, I., see Hassoon, S. 125
- Shamsipur, M., see Khajehsharifi, H. 369
- Shim, Y.-B., see Boopathi, M. 191
- Smrkolj, P.  
— and Stibilj, V.  
Determination of selenium in vegetables by hydride generation atomic fluorescence spectrometry 11
- Stibilj, V., see Smrkolj, P. 11
- Suzuki, O., see Minakata, K. 355
- Szekely, L.  
— and Freitag, R.  
Fabrication of a versatile microanalytical system without need for clean room conditions 39
- Takazawa, Y., see Kitamura, K. 27
- Takenaka, S., see Juskowiak, B. 133
- Tomazelli, A.C., see Aleixo, P.C. 329
- Tomic, O.  
—, Eklöv, T., Kvaal, K. and Haugen, J.-E.  
Recalibration of a gas-sensor array system related to sensor replacement 199
- Townsend, A.T., see Featherstone, A.M. 319
- Trijzelaar, B., see Choi, Y.H. 141
- Usui, N., see Li, L. 121
- Valcárcel, M.  
— and Korte, E.-H.  
The Division of Analytical Chemistry of the Federation of European Chemical Societies and Professional Institutions (FECS). European Analytical Column No. 32 (January 2004) 181
- Ventura-Gayete, J., see Ródenas-Torralba, E. 215
- Verpoorte, R., see Choi, Y.H. 141
- Viladomat, F., see Parejo, I. 271
- Wan, F., see Zhang, W. 207
- Wang, H.  
—, Liang, S.-C., Zhang, Z.-M. and Zhang, H.-S.  
3-Iodoacetylaminobenzanthrone as a fluorescent derivatizing reagent for thiols in high-performance liquid chromatography 281
- Wang, J., see Zhang, W. 207
- Wilson, E.G., see Choi, Y.H. 141
- Wolf, C.R., see Bichinho, K.M. 359
- Won, M.-S., see Boopathi, M. 191
- Xie, J., see Liu, Q. 93
- Xie, Y., see Zhang, W. 207
- Xu, J.-J., see Luo, X.-L. 57
- Yamamoto, K., see Zhang, W. 207
- Yasman, Y., see Hassoon, S. 125
- Zagorodni, A.A.  
Evaluation of results obtained by analysis of fractions 251
- Zhang, H.-S., see Wang, H. 281
- Zhang, W.  
—, Wan, F., Xie, Y., Gu, J., Wang, J., Yamamoto, K. and Jin, L.  
Amperometric determination of (*R*)-salsolinol, (*R*)-*N*-methylsalsolinol and monoamine neurotransmitters with liquid chromatography using functionalized multi-wall carbon nanotube modified electrode in Parkinson's patients' cerebrospinal fluid 207
- Zhang, Z.-M., see Wang, H. 281
- Zhao, H.-Z., see Jiang, H.-L. 111
- Zhao, W., see Luo, X.-L. 57
- Zhuang, H.-S.  
—, Huang, J.-L. and Chen, G.-N.  
Synthesis of a new biacridine and its use as the chemiluminescent probe for immunoassay of carcinoembryonic antigen 347





**Vol. 512**

**Iss. 1**

**JUN 4**

**2004**